

628.25 AS-C



Product	Product category	Coating
PTFE GLASS FABRIC	BLACK ANTI-STATIC SERIE	PTFE

Anti-static products are made with a specially formulated black PTFE coating. These fabrics eliminates static electricity during operation. Conductive black products are widely used in the apparel industry as conveyor belts in fusing press machines.

Properties	Value	Unit
Standart width(s) <i>Please ask for other widths</i>	1000, 1500	mm
Thickness	0,23	mm
Weight	470	gr/m ²
PTFE content	57	%
Surface resistance	< 100	kohm/sq
Tensile strenght	2300	N/5 cm
Temperature resistance	-150 /+260	°C

Note: Nominal thickness, weight and tensile strenght values are typical and are not intended as a specification minimum.

Weight Tolerance g/m² = ±%5

All technical data are based on average values. These values are not intended for use in preparing specifications. Technical information contained here in are based on test results FIBERFLON believes to be reliable, but they are not to be constured in any manner as warranties expressed. All data is subject to change without notice.



FIBERFLON TECHNICAL TEXTILE

CORLU - CERKEZKOY YOLU 7. KM
59860 CORLU - TEKIRDAG
TURKEY

TEL : +90 282 676 42 08 (pbx)
FAX : +90 282 676 41 98

www.fiberflon.com
info@fiberflon.com