


MODEL NAL

Ninety degree CAVITY: T-22A



4 3



TECHNICAL DATA

Body Type	Line mount
Interface	None
Body Features	Ninety degree
Mounting Hole Diameter	.42 in.
Mounting Hole Depth	Through
Mounting Hole Quantity	2
Open Cavities	1
Cavity	T-22A
Port Size	SAE 12
Model Weight	1.17 lb.

NOTES

Important: Carefully consider the maximum system pressure. The pressure rating of the manifold is dependent on the manifold material, with the port type/size a secondary consideration. Manifolds constructed of aluminum are not rated for pressures higher than 3000 psi (210 bar), regardless of the port type/size specified.

PORT DESIGNATORS

Modifiers	Ports
NAL	Ports 1 & 2: SAE 12; Port 3: SAE 10; Port 4: SAE 6;

CONFIGURATION OPTIONS Model Code Example: NAL

MODIFIER

6061-T651 Aluminum, Buna-N

/S 65-45-12 Ductile Iron, Buna-N, Blackened


MANIFOLD FACES

FACE GRID


1	2	3	4
5	6	7	8
9	10	11	12

© 2019 Sun Hydraulics 1 of 3


Face 2



Face 5




Face 6




© 2019 Sun Hydraulics 2 of 3





Face 10



© 2019 Sun Hydraulics 3 of 3